



Phylo	genet	ic positi	011 01 21	lakes an	a the python	
А		,		К		
	(	3,100	)	)		
	. B					
(	150	NK	M )	K		
		K	(F	1;	K	-



17-	3			1.4 G	
	,			CBI	
AE	00000000	).1.		M	
35	K	K			,
K			-		
С	B	3	K		
А	de novo	.1.04,	-	3	1.
	K K	1.128	<b>K</b>	,	
K	944		50 <b>K</b>	1,355	•
	-		,	Þ	3
324,42	18 🛛 🕅		K	1,397	
	50 🛛	2,186	•	KK	

K						
	K	K	K			K
			(2.0).	K	K	
		K		,		
			K	454		
K		21	,27 .			

Strategy for sequencing the python genome

			K		K				
K	K	K		(6	00	)	-	I	15
		•	,		3-	Ø	- 50	R	- (114
150	)	I	GA	, II	-	MK			(117
G			K		K	-		K -	
MK	)		,		•	,	MK K	( MM	K MK
					•		K		
K		-		⊠.		Ø		-	 
	),		I	27	,	Ø		(	ы
K	R			K	,	₩K			K
		WK		K	,	K		K	
(						-	-		🛛 ),
				, ,		K	R		,

⊠ A			K	ИK	K		-
			K	K			
						NK K	
	-		K			K	
	K	K	K				
K	I	К					,
		Ж.	Ι				ЖK
- 600 BBAX 0.	00		MK				



31.